

MDS 3.0 RUG IV / 66 Category Table

Urban	ADLs	End Splits	RUG	CMI	Rate	(042)AIDS
<u>ULTRA HIGH REHABILITATION PLUS EXTENSIVE SERVICES (O0400 A-C):</u>						
G0110 A, B, H, I - ADL score of 2 or more AND Meets Extensive Services criteria (see criteria below) AND Rehabilitation Rx 720 minutes/week minimum + At least 1 rehabilitation discipline 5 days/week + A second rehabilitation discipline 3 days/week OR Z0100C - Medicare Short Stay indicator = 1. Yes and average = 144+ mins.	11-16	Not Used	RUX	66	\$ 737.08	\$ 1,680.54
	2-10	Not Used	RUL	65	\$ 721.01	\$ 1,643.90
<u>VERY HIGH REHABILITATION PLUS EXTENSIVE SERVICES (O0400 A-C):</u>						
G0110 A, B, H, I - ADL score of 2 or more AND Meets Extensive Services criteria (see criteria below) AND Rehabilitation Rx 500 minutes/week minimum + At least 1 rehabilitation discipline 5 days/week OR Z0100C - Medicare Short Stay indicator = 1. Yes and average = 100 - 143 mins.	11-16	Not Used	RVX	63	\$ 656.06	\$ 1,495.82
	2-10	Not Used	RVL	61	\$ 588.60	\$ 1,342.01
<u>HIGH REHABILITATION PLUS EXTENSIVE SERVICES (O0400 A-C):</u>						
G0110 A, B, H, I - ADL score of 2 or more AND Meets Extensive Services criteria (see criteria below) AND Rehabilitation Rx 325 minutes/week minimum + At least 1 rehabilitation discipline 5 days/week; OR Z0100C - Medicare Short Stay indicator = 1. Yes and average = 65 - 99 mins.	11-16	Not Used	RHX	62	\$ 594.39	\$ 1,355.21
	2-10	Not Used	RHL	57	\$ 530.14	\$ 1,208.72
<u>MEDIUM REHABILITATION PLUS EXTENSIVE SERVICES (O0400 A-C):</u>						
G0110 A, B, H, I - ADL score of 2 or more AND Meets Extensive Services criteria (see criteria below) AND Rehabilitation Rx 150 minutes/week minimum + 5 days any combination of 3 rehabilitation disciplines; OR Z0100C - Medicare Short Stay indicator = 1. Yes and average = 30 - 64 mins.	11-16	Not Used	RMX	58	\$ 545.24	\$ 1,243.15
	2-10	Not Used	RML	55	\$ 500.27	\$ 1,140.62
<u>LOW REHABILITATION PLUS EXTENSIVE SERVICES (O0400 A-C):</u>						
G0110 A, B, H, I - ADL score of 2 or more AND Meets Extensive Services criteria (see criteria below) AND Rehabilitation Rx 45 minutes/week minimum + 3 days any combination of 3 rehabilitation disciplines; + Restorative nursing 6 days/week, 2 services (see Reduced Physical Function (below) for restorative nursing services); OR Z0100C - Medicare Short Stay indicator = 1. Yes and average = 15 - 29 mins.	2-16	Not Used	RLX	53	\$ 478.85	\$ 1,091.78

MDS 3.0 RUG IV / 66 Category Table

Urban	ADLs	End Splits	RUG	CMI	Rate	(042)AIDS
ULTRA HIGH REHABILITATION (O0400 A-C)						
Rehabilitation Rx 720 minutes/week minimum + At least 1 rehabilitation discipline 5 days/week + A second rehabilitation discipline 3 days/week OR Z0100C - Medicare Short Stay indicator = 1. Yes and average = 144+ mins.	11-16 6-10 0-5	Not Used Not Used Not Used	RUC RUB RUA	60 59 51	\$ 558.79 \$ 558.79 \$ 467.23	\$ 1,274.04 \$ 1,274.04 \$ 1,065.28
VERY HIGH REHABILITATION (O0400 A-C):						
Rehabilitation Rx 500 minutes/week minimum + At least 1 rehabilitation discipline 5 days/week OR Z0100C - Medicare Short Stay indicator = 1. Yes and average = 100 - 143 mins.	11-16 6-10 0-5	Not Used Not Used Not Used	RVC RVB RVA	54 47 46	\$ 479.38 \$ 415.13 \$ 413.52	\$ 1,092.99 \$ 946.50 \$ 942.83
HIGH REHABILITATION (O0400 A-C)						
Rehabilitation Rx 325 minutes/week minimum + At least 1 rehabilitation discipline 5 days/week OR Z0100C - Medicare Short Stay indicator = 1. Yes and average = 65 - 99 mins.	11-16 6-10 0-5	Not Used Not Used Not Used	RHC RHB RHA	48 40 26	\$ 417.71 \$ 375.95 \$ 330.97	\$ 952.38 \$ 857.17 \$ 754.61
MEDIUM REHABILITATION (O0400 A-C)						
Rehabilitation Rx 150 minutes/week minimum + 5 days any combination of 3 rehabilitation disciplines OR Z0100C - Medicare Short Stay indicator = 1. Yes and average = 30 - 64 mins.	11-16 6-10 0-5	Not Used Not Used Not Used	RMC RMB RMA	38 32 18	\$ 366.95 \$ 344.47 \$ 283.43	\$ 836.65 \$ 785.39 \$ 646.22
LOW REHABILITATION (O0400 A-C)						
Rehabilitation Rx 45 minutes/week minimum + 3 days any combination of 3 rehabilitation disciplines; + Restorative nursing 6 days/week, 2 services (see Reduced Physical Function for restorative nursing services) OR Z0100C - Medicare Short Stay indicator = 1. Yes and average = 15 - 29 mins.	11-16 0-10	Not Used Not Used	RLB RLA	37 7	\$ 356.78 \$ 229.89	\$ 813.46 \$ 524.15
EXTENSIVE SERVICES						
G0110 A, B, H, I - ADL score of 2 or more AND (any of the following inc. vent and trach combined) O0100 E - Tracheostomy care while a resident; O0100 F - ventilator/respirator while a resident; O0100 M - isolation for active infectious disease while a resident	2-16 2-16 2-16	Tracheostomy care and ventilator/respirator Tracheostomy care or ventilator/respirator Isolation for active infectious disease	ES3 ES2 ES1	64 56 52	\$ 672.93 \$ 526.77 \$ 470.55	\$ 1,534.28 \$ 1,201.04 \$ 1,072.85
SPECIAL CARE HIGH						
G0110 A, B, H, I - ADL score of 2 or more AND (any of the following 8 criteria) 1. B0100 - Comatose and G0110 A, B, H, I - ADL score =4 or 8; 2. I2100 - septicemia; 3. I2900 - diabetes with N0350 A - daily injections and N0350 B - physician insulin order changes on 2 or more days; 4. I5100 - quadriplegia with G0110 A, B, H, I - ADL score >=5; 5. I6200 - chronic obstructive pulmonary disease and J1100 C - shortness of breath when lying flat; 6. J1550 A - fever with I2000 - pneumonia or J1550 B - vomiting or K0300 1, 2 - weight loss or K0500B - feeding tube (see special Care Low for tube feeding requirements**); 7. K0500 A - parenteral/IV feedings; 8. O0400 D 1, 2 - respiratory therapy at least 15 minutes/day for entire 7 days.	15-16 15-16 11-14 11-14 6-10 6-10 2-5 2-5	Signs of Depression No Signs Signs of Depression No Signs Signs of Depression No Signs Signs of Depression No Signs	HE2 HE1 HD2 HD1 HC2 HC1 HB2 HB1	50 41 49 36 44 29 43 28	\$ 454.49 \$ 377.39 \$ 425.57 \$ 354.90 \$ 401.48 \$ 335.63 \$ 396.66 \$ 332.42	\$ 1,036.24 \$ 860.45 \$ 970.30 \$ 809.17 \$ 915.37 \$ 765.24 \$ 904.38 \$ 757.92
* See End splits Signs of Depression						

MDS 3.0 RUG IV / 66 Category Table

Urban	ADLs	End Splits	RUG	CMI	Rate	(042)AIDS																																																																						
<u>SPECIAL CARE LOW</u>																																																																												
G0110 A, B, H, I - ADL score of 2 or more AND (any of the following 7 criteria)																																																																												
1. I4400 - Cerebral palsy or I5200 - multiple sclerosis, or I5300 - Parkinson's disease with G0110 A, B, H, I - ADL score >=5;																																																																												
2. K0500B - feeding tube **;																																																																												
3. Ulcers:																																																																												
a.) 2 or more M0300 B 1 - stage II pressure ulcers or																																																																												
b.) 1 or more M0300 C 1 - stage III or M0300 D 1 - stage IV pressure ulcers or																																																																												
c.) 2 or more M1030 - venous / arterial ulcers or																																																																												
d.) 1 M0300 B 1 - stage II pressure ulcer and 1 M1030 -venous / arterial ulcer																																																																												
a-d must have 2 or more M1200 - skin care treatments***;																																																																												
4. M1040 A - foot infection or M1040 B - diabetic foot ulcer or M1040 C - open lesions of foot with M1200I - Application of dressing to feet;																																																																												
5. O0100 C 2 - oxygen therapy while a resident and I6300 - respiratory failure;																																																																												
6. O0100 B 2 - radiation therapy while a resident;																																																																												
7. O0100 J 2 - dialysis while a resident.																																																																												
*See End splits Signs of Depression																																																																												
**Tube feeding classification requirements:																																																																												
(1) K0700A is 51% or more of total calories OR																																																																												
(2) K0700A is 26% to 50% of total calories and K0700B is 501 cc or more per day fluid enteral intake in the last 7 days.																																																																												
*** M1200 - Selected skin treatments:																																																																												
M1200A,B# Pressure relieving chair and/or bed																																																																												
M1200C Turning/repositioning																																																																												
M1200D Nutrition or hydration intervention																																																																												
M1200E Ulcer care																																																																												
M1200G Application of dressings (not to feet)																																																																												
M1200H Application of ointments (not to feet)																																																																												
#Count as one treatment even if both provided																																																																												
<u>CLINICALLY COMPLEX</u>																																																																												
Extensive Services, Special Care High or Special Care Low qualifier + G0110 A, B, H, I - ADL score of 0 or 1 OR																																																																												
1. I4900 - hemiplegia or hemiparesis with G0110 A, B, H, I - ADL score >=5;																																																																												
2. M1040 E - surgical wounds or M1040 D - open lesions with any M1200 - skin treatments**;																																																																												
3. M1040 F - burns;																																																																												
4. I2000 - Pneumonia;																																																																												
5. O0100 C - Oxygen therapy while a resident;																																																																												
6. O0100 A 2 - chemotherapy while a resident;																																																																												
7. O0100 H 2 - IV medications while a resident;																																																																												
8. O0100 I 2 - transfusions while a resident.																																																																												
* See End splits Signs of Depression																																																																												
**Selected Skin Treatments																																																																												
M1200F Surgical wound care or M1200G Application of dressing (not to feet) or M1200H Application of ointments (not to feet)																																																																												
<table border="0" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%;"></td> <td style="width: 10%; text-align: center;">15-16</td> <td style="width: 20%; text-align: center;">Signs of Depression</td> <td style="width: 10%; text-align: center;">CE2</td> <td style="width: 10%; text-align: center;">39</td> <td style="width: 10%; text-align: center;">\$ 367.75</td> <td style="width: 10%; text-align: center;">\$ 838.47</td> </tr> <tr> <td></td> <td style="text-align: center;">15-16</td> <td style="text-align: center;">No Signs</td> <td style="text-align: center;">CE1</td> <td style="text-align: center;">31</td> <td style="text-align: center;">\$ 338.84</td> <td style="text-align: center;">\$ 772.56</td> </tr> <tr> <td></td> <td style="text-align: center;">11-14</td> <td style="text-align: center;">Signs of Depression</td> <td style="text-align: center;">CD2</td> <td style="text-align: center;">34</td> <td style="text-align: center;">\$ 348.48</td> <td style="text-align: center;">\$ 794.53</td> </tr> <tr> <td></td> <td style="text-align: center;">11-14</td> <td style="text-align: center;">No Signs</td> <td style="text-align: center;">CD1</td> <td style="text-align: center;">23</td> <td style="text-align: center;">\$ 319.57</td> <td style="text-align: center;">\$ 728.62</td> </tr> <tr> <td></td> <td style="text-align: center;">6-10</td> <td style="text-align: center;">Signs of Depression</td> <td style="text-align: center;">CC2</td> <td style="text-align: center;">21</td> <td style="text-align: center;">\$ 305.11</td> <td style="text-align: center;">\$ 695.65</td> </tr> <tr> <td></td> <td style="text-align: center;">6-10</td> <td style="text-align: center;">No Signs</td> <td style="text-align: center;">CC1</td> <td style="text-align: center;">17</td> <td style="text-align: center;">\$ 282.62</td> <td style="text-align: center;">\$ 644.37</td> </tr> <tr> <td></td> <td style="text-align: center;">2-5</td> <td style="text-align: center;">Signs of Depression</td> <td style="text-align: center;">CB2</td> <td style="text-align: center;">16</td> <td style="text-align: center;">\$ 282.62</td> <td style="text-align: center;">\$ 644.37</td> </tr> <tr> <td></td> <td style="text-align: center;">2-5</td> <td style="text-align: center;">No Signs</td> <td style="text-align: center;">CB1</td> <td style="text-align: center;">13</td> <td style="text-align: center;">\$ 261.74</td> <td style="text-align: center;">\$ 596.77</td> </tr> <tr> <td></td> <td style="text-align: center;">0-1</td> <td style="text-align: center;">Signs of Depression</td> <td style="text-align: center;">CA2</td> <td style="text-align: center;">9</td> <td style="text-align: center;">\$ 239.26</td> <td style="text-align: center;">\$ 545.51</td> </tr> <tr> <td></td> <td style="text-align: center;">0-1</td> <td style="text-align: center;">No Signs</td> <td style="text-align: center;">CA1</td> <td style="text-align: center;">6</td> <td style="text-align: center;">\$ 223.19</td> <td style="text-align: center;">\$ 508.87</td> </tr> </table>								15-16	Signs of Depression	CE2	39	\$ 367.75	\$ 838.47		15-16	No Signs	CE1	31	\$ 338.84	\$ 772.56		11-14	Signs of Depression	CD2	34	\$ 348.48	\$ 794.53		11-14	No Signs	CD1	23	\$ 319.57	\$ 728.62		6-10	Signs of Depression	CC2	21	\$ 305.11	\$ 695.65		6-10	No Signs	CC1	17	\$ 282.62	\$ 644.37		2-5	Signs of Depression	CB2	16	\$ 282.62	\$ 644.37		2-5	No Signs	CB1	13	\$ 261.74	\$ 596.77		0-1	Signs of Depression	CA2	9	\$ 239.26	\$ 545.51		0-1	No Signs	CA1	6	\$ 223.19	\$ 508.87
	15-16	Signs of Depression	CE2	39	\$ 367.75	\$ 838.47																																																																						
	15-16	No Signs	CE1	31	\$ 338.84	\$ 772.56																																																																						
	11-14	Signs of Depression	CD2	34	\$ 348.48	\$ 794.53																																																																						
	11-14	No Signs	CD1	23	\$ 319.57	\$ 728.62																																																																						
	6-10	Signs of Depression	CC2	21	\$ 305.11	\$ 695.65																																																																						
	6-10	No Signs	CC1	17	\$ 282.62	\$ 644.37																																																																						
	2-5	Signs of Depression	CB2	16	\$ 282.62	\$ 644.37																																																																						
	2-5	No Signs	CB1	13	\$ 261.74	\$ 596.77																																																																						
	0-1	Signs of Depression	CA2	9	\$ 239.26	\$ 545.51																																																																						
	0-1	No Signs	CA1	6	\$ 223.19	\$ 508.87																																																																						

MDS 3.0 RUG IV / 66 Category Table

Urban	ADLs	End Splits	RUG	CMI	Rate	(042)AIDS
<u>BEHAVIORAL SYMPTOMS and COGNITIVE PERFORMANCE</u>						
G0110 A, B, H, I - ADL score <=5 AND 1. Cognitive impairment a.) BIMS score <=9 (C0200 through C0500) or if unable to complete the BIMS, any of the following; b.) B0100 Coma (B0100 = 1) and completely ADL dependent or ADL did not occur (G0110A1, G0110B1, G0110H1, G0100I1 all = 4 or 8) c.) C1000 Severely impaired cognitive skills (C1000 = 3) d.) B0700, C0700, C1000 Two or more of the following impairment indicators are present: B0700 > 0 Problem being understood C0700 = 1 Short-term memory problem C1000 > 0 Cognitive skills problem and One or more of the following severe impairment indicators are present: B0700 >= 2 Severe problem being understood C1000 >= 2 Severe cognitive skills problem OR 2. E0100A - Hallucinations or E0100B - Delusions OR 3. One or more of the following behaviors on 4 or more days; E0200A - Physical abusive behavioral symptom, E0200B - Verbal abusive behavioral symptoms, E0200C - Other behavioral symptoms not directed toward others E0800 - Rejection of care, E0900 - Wandering. * See Reduced Physical Function for restorative nursing services	2-5	2 or more restorative nursing on 6+ days/wk	BB2	11	\$ 253.71	\$ 578.46
	2-5	None or Fewer restorative nursing than required	BB1	10	\$ 242.47	\$ 552.83
	0-1	2 or more restorative nursing on 6+ days/wk	BA2	4	\$ 210.34	\$ 479.58
	0-1	None or Fewer restorative nursing than required	BA1	3	\$ 200.71	\$ 457.62
<u>REDUCED PHYSICAL FUNCTION</u>						
This category includes residents whose needs are primarily for ADLs and general supervision.	15-16	2 or more restorative nursing on 6+ days/wk	PE2	30	\$ 338.84	\$ 772.56
Restorative nursing services: • *H0200 C / H0500 - Scheduled toileting plan • *O0500 A, B - passive and/or active ROM • O0500 C - splint or brace assistance • *O0500 D, F - bed mobility and/or walking training • O0500 E - transfer training • O0500 G - dressing or grooming training • O0500 H - eating or swallowing training • O0500 I - amputation/prosthesis care • O0500 J - communication training * These count as only one even if both are provided.	15-16	None or Fewer restorative nursing than required	PE1	24	\$ 322.78	\$ 735.94
	11-14	2 or more restorative nursing on 6+ days/wk	PD2	22	\$ 319.57	\$ 728.62
	11-14	None or Fewer restorative nursing than required	PD1	20	\$ 303.50	\$ 691.98
	6-10	2 or more restorative nursing on 6+ days/wk	PC2	14	\$ 274.59	\$ 626.07
	6-10	None or Fewer restorative nursing than required	PC1	12	\$ 261.74	\$ 596.77
NOTES: No clinical variables used	2-5	2 or more restorative nursing on 6+ days/wk	PB2	8	\$ 232.83	\$ 530.85
	2-5	None or Fewer restorative nursing than required	PB1	5	\$ 223.19	\$ 508.87
	0-1	2 or more restorative nursing on 6+ days/wk	PA2	2	\$ 192.68	\$ 439.31
	0-1	None or Fewer restorative nursing than required	PA1	1	\$ 184.64	\$ 420.98
DEFAULT			AAA	1	\$ 184.64	\$ 420.98

MDS 3.0 RUG IV / 66 Category Table

End Split: ADL INDEX

G0110 - Activity of Daily Living (ADL) Assistance:

Use the following ADL scoring Table to calculate the ADL Index:

ADL Scoring Table For Items: G0110(A): Bed Mobility, G0110(B) Transfers and G0110 (I) Toilet Use			
G0110(2) ADL Support Provided			
G0110(1) ADL Self- Performance	(-): Not Avail. 0: No Help 1: Setup Help Only	2: One Person Physical Assist	3: Two + Person Physical Assist
(-): Not Avail. 0: Independent 1: Supervision 7: < 3x's/wk.	0 (Also the score if either G0110(1) or G0110(2) is 8: Activity did not occur)		
2: Limited Assistance	1		
3: Extensive assistance	2	4	
4: Total Dependence	3		

ADL Scoring Table For Items: G0110(H): Eating			
G0110(2) ADL Support Provided			
G0110(1) ADL Self- Performance	(-): Not Avail. 0: No Help 1: Setup Help Only	2: One Person Physical Assist	3: Two + Person Physical Assist
(-): Not Avail. 0: Independent 1: Supervision 7: < 3x's/wk.	0 (Also the score if either G0110(1) or G0110(2) is 8: Activity did not occur)	2	
2: Limited Assistance			
3: Extensive assistance	3		4
4: Total Dependence	2		

G0110A: Bed Mobility 1. Self Support: ___ 2. ADL Support Provided: ___ = ___

G0110B: Transfer 1. Self Support: ___ 2. ADL Support Provided: ___ = ___

G0110I: Toilet Use 1. Self Support: ___ 2. ADL Support Provided: ___ = ___

G0110H: Eating 1. Self Support: ___ 2. ADL Support Provided: ___ = ___

Total ADL Score: _____

End Split: SIGNS OF DEPRESSION

D0200: Resident Mood Interview (PHQ-9©)

- D0200A - Little interest or pleasure in doing things
- D0200B - Feeling down depressed or hopeless
- D0200C - Trouble Falling or staying asleep, or sleeping too much
- D0200D - Feeling tired or having little energy
- D0200E - Poor appetite or overeating
- D0200F - Feeling bad about yourself - or let self others down
- D0200G - Trouble concentrating on things
- D0200H - Moving or speaking slowly or being fidgety or restless
- D0200I - Thoughts that you would be better off dead, or of hurting self
- D0300 - Total Severity Score: 0 - 27 (In order to qualify as depressed, to affect the RUG score, this score must be >=10)

D0500: Staff Interview of Resident Mood (PHQ-9-OV)

- D0500A - Little interest or pleasure in doing things
- D0500B - Feeling or appearing down, depressed, or hopeless
- D0500C - Trouble falling or staying asleep, or sleeping too much.
- D0500D - Feeling tired or having little energy.
- D0500E - Poor appetite or overeating.
- D0500F - Indicating feels bad about self, has let self or other down.
- D0500G - Trouble concentrating on things
- D0500H - Moving or speaking slowly or being fidgety or restless
- D0500I - States that life isn't worth living, wishes for death, or attempts to harm self.
- D0500J - Being short-tempered, easily annoyed.
- D0600 - Total Severity Score: 0 - 30 (In order to qualify as depressed, to affect the RUG score, this score must be >=10)

FY 2011 SNF PPS Rates Oct. 1, 2010

<u>Urban</u>		1.0000	(042) AIDS ADD-ON
RUX	66	\$ 737.08	\$ 1,680.54
RUL	65	\$ 721.01	\$ 1,643.90
ES3	64	\$ 672.93	\$ 1,534.28
RVX	63	\$ 656.06	\$ 1,495.82
RHX	62	\$ 594.39	\$ 1,355.21
RVL	61	\$ 588.60	\$ 1,342.01
RUC	60	\$ 558.79	\$ 1,274.04
RUB	59	\$ 558.79	\$ 1,274.04
RMX	58	\$ 545.24	\$ 1,243.15
RHL	57	\$ 530.14	\$ 1,208.72
ES2	56	\$ 526.77	\$ 1,201.04
RML	55	\$ 500.27	\$ 1,140.62
RVC	54	\$ 479.38	\$ 1,092.99
RLX	53	\$ 478.85	\$ 1,091.78
ES1	52	\$ 470.55	\$ 1,072.85
RUA	51	\$ 467.23	\$ 1,065.28
HE2	50	\$ 454.49	\$ 1,036.24
HD2	49	\$ 425.57	\$ 970.30
RHC	48	\$ 417.71	\$ 952.38
RVB	47	\$ 415.13	\$ 946.50
RVA	46	\$ 413.52	\$ 942.83
LE2	45	\$ 412.73	\$ 941.02
HC2	44	\$ 401.48	\$ 915.37
HB2	43	\$ 396.66	\$ 904.38
LD2	42	\$ 396.66	\$ 904.38
HE1	41	\$ 377.39	\$ 860.45
RHB	40	\$ 375.95	\$ 857.17
CE2	39	\$ 367.75	\$ 838.47
RMC	38	\$ 366.95	\$ 836.65
RLB	37	\$ 356.78	\$ 813.46
HD1	36	\$ 354.90	\$ 809.17
LC2	35	\$ 348.48	\$ 794.53
CD2	34	\$ 348.48	\$ 794.53
LE1	33	\$ 345.26	\$ 787.19
RMB	32	\$ 344.47	\$ 785.39
CE1	31	\$ 338.84	\$ 772.56
PE2	30	\$ 338.84	\$ 772.56
HC1	29	\$ 335.63	\$ 765.24
HB1	28	\$ 332.42	\$ 757.92
LD1	27	\$ 332.42	\$ 757.92
RHA	26	\$ 330.97	\$ 754.61
LB2	25	\$ 330.81	\$ 754.25
PE1	24	\$ 322.78	\$ 735.94
CD1	23	\$ 319.57	\$ 728.62
PD2	22	\$ 319.57	\$ 728.62
CC2	21	\$ 305.11	\$ 695.65
PD1	20	\$ 303.50	\$ 691.98
LC1	19	\$ 293.87	\$ 670.02
RMA	18	\$ 283.43	\$ 646.22
CC1	17	\$ 282.62	\$ 644.37
CB2	16	\$ 282.62	\$ 644.37
LB1	15	\$ 281.02	\$ 640.73
PC2	14	\$ 274.59	\$ 626.07
CB1	13	\$ 261.74	\$ 596.77
PC1	12	\$ 261.74	\$ 596.77
BB2	11	\$ 253.71	\$ 578.46
BB1	10	\$ 242.47	\$ 552.83
CA2	9	\$ 239.26	\$ 545.51
PB2	8	\$ 232.83	\$ 530.85
RLA	7	\$ 229.89	\$ 524.15
CA1	6	\$ 223.19	\$ 508.87
PB1	5	\$ 223.19	\$ 508.87
BA2	4	\$ 210.34	\$ 479.58
BA1	3	\$ 200.71	\$ 457.62
PA2	2	\$ 192.68	\$ 439.31
PA1	1	\$ 184.64	\$ 420.98

<u>Rural Rates</u>		0.0000	(042) AIDS ADD-ON
RUX	66		
RUL	65		
RVX	64		
ES3	63		
RVL	62		
RHX	61		
RUC	60		
RUB	59		
RMX	58		
RHL	57		
ES2	56		
RML	55		
RUA	54		
RVC	53		
RLX	52		
ES1	51		
HE2	50		
RVB	49		
RVA	48		
RHC	47		
HD2	46		
LE2	45		
HC2	44		
HB2	43		
LD2	42		
RHB	41		
RMC	40		
HE1	39		
CE2	38		
RLB	37		
RMB	36		
HD1	35		
RHA	34		
LC2	33		
CD2	32		
LE1	31		
CE1	30		
PE2	29		
HC1	28		
HB1	27		
LD1	26		
LB2	25		
PE1	24		
CD1	23		
PD2	22		
CC2	21		
PD1	20		
RMA	19		
LC1	18		
CC1	17		
CB2	16		
LB1	15		
PC2	14		
CB1	13		
PC1	12		
BB2	11		
BB1	10		
CA2	9		
RLA	8		
PB2	7		
CA1	6		
PB1	5		
BA2	4		
BA1	3		
PA2	2		
PA1	1		

MDS 3.0 RUG IV / 66 Category Table

Rural	ADLs	End Splits	RUG	CMI	Rate	(042)AIDS
<u>ULTRA HIGH REHABILITATION PLUS EXTENSIVE SERVICES (O0400 A-C):</u>						
G0110 A, B, H, I - ADL score of 2 or more AND Meets Extensive Services criteria (see criteria below) AND Rehabilitation Rx 720 minutes/week minimum + At least 1 rehabilitation discipline 5 days/week + A second rehabilitation discipline 3 days/week OR Z0100C - Medicare Short Stay indicator = 1. Yes and average = 144+ mins.	11-16	Not Used	RUX	66	\$ 754.11	\$ 1,719.37
	2-10	Not Used	RUL	65	\$ 738.76	\$ 1,684.37
<u>VERY HIGH REHABILITATION PLUS EXTENSIVE SERVICES (O0400 A-C):</u>						
G0110 A, B, H, I - ADL score of 2 or more AND Meets Extensive Services criteria (see criteria below) AND Rehabilitation Rx 500 minutes/week minimum + At least 1 rehabilitation discipline 5 days/week OR Z0100C - Medicare Short Stay indicator = 1. Yes and average = 100 - 143 mins.	11-16	Not Used	RVX	64	\$ 662.59	\$ 1,510.71
	2-10	Not Used	RVL	62	\$ 598.14	\$ 1,363.76
<u>HIGH REHABILITATION PLUS EXTENSIVE SERVICES (O0400 A-C):</u>						
G0110 A, B, H, I - ADL score of 2 or more AND Meets Extensive Services criteria (see criteria below) AND Rehabilitation Rx 325 minutes/week minimum + At least 1 rehabilitation discipline 5 days/week; OR Z0100C - Medicare Short Stay indicator = 1. Yes and average = 65 - 99 mins.	11-16	Not Used	RHX	61	\$ 593.39	\$ 1,352.93
	2-10	Not Used	RHL	57	\$ 532.01	\$ 1,212.98
<u>MEDIUM REHABILITATION PLUS EXTENSIVE SERVICES (O0400 A-C):</u>						
G0110 A, B, H, I - ADL score of 2 or more AND Meets Extensive Services criteria (see criteria below) AND Rehabilitation Rx 150 minutes/week minimum + 5 days any combination of 3 rehabilitation disciplines; OR Z0100C - Medicare Short Stay indicator = 1. Yes and average = 30 - 64 mins.	11-16	Not Used	RMX	58	\$ 539.27	\$ 1,229.54
	2-10	Not Used	RML	55	\$ 496.30	\$ 1,131.56
<u>LOW REHABILITATION PLUS EXTENSIVE SERVICES (O0400 A-C):</u>						
G0110 A, B, H, I - ADL score of 2 or more AND Meets Extensive Services criteria (see criteria below) AND Rehabilitation Rx 45 minutes/week minimum + 3 days any combination of 3 rehabilitation disciplines; + Restorative nursing 6 days/week, 2 services (see Reduced Physical Function (below) for restorative nursing services); OR Z0100C - Medicare Short Stay indicator = 1. Yes and average = 15 - 29 mins.	2-16	Not Used	RLX	52	\$ 469.37	\$ 1,070.16

MDS 3.0 RUG IV / 66 Category Table

Rural	ADLs	End Splits	RUG	CMI	Rate	(042)AIDS
ULTRA HIGH REHABILITATION (O0400 A-C)						
Rehabilitation Rx 720 minutes/week minimum + At least 1 rehabilitation discipline 5 days/week + A second rehabilitation discipline 3 days/week OR Z0100C - Medicare Short Stay indicator = 1. Yes and average = 144+ mins.	11-16 6-10 0-5	Not Used Not Used Not Used	RUC RUB RUA	60 59 54	\$ 583.77 \$ 583.77 \$ 496.30	\$ 1,331.00 \$ 1,331.00 \$ 1,131.56
VERY HIGH REHABILITATION (O0400 A-C):						
Rehabilitation Rx 500 minutes/week minimum + At least 1 rehabilitation discipline 5 days/week OR Z0100C - Medicare Short Stay indicator = 1. Yes and average = 100 - 143 mins.	11-16 6-10 0-5	Not Used Not Used Not Used	RVC RVB RVA	53 49 48	\$ 493.78 \$ 432.40 \$ 430.87	\$ 1,125.82 \$ 985.87 \$ 982.38
HIGH REHABILITATION (O0400 A-C)						
Rehabilitation Rx 325 minutes/week minimum + At least 1 rehabilitation discipline 5 days/week OR Z0100C - Medicare Short Stay indicator = 1. Yes and average = 65 - 99 mins.	11-16 6-10 0-5	Not Used Not Used Not Used	RHC RHB RHA	47 41 34	\$ 424.59 \$ 384.69 \$ 341.72	\$ 968.07 \$ 877.09 \$ 779.12
MEDIUM REHABILITATION (O0400 A-C)						
Rehabilitation Rx 150 minutes/week minimum + 5 days any combination of 3 rehabilitation disciplines OR Z0100C - Medicare Short Stay indicator = 1. Yes and average = 30 - 64 mins.	11-16 6-10 0-5	Not Used Not Used Not Used	RMC RMB RMA	40 36 19	\$ 368.93 \$ 347.44 \$ 289.13	\$ 841.16 \$ 792.16 \$ 659.22
LOW REHABILITATION (O0400 A-C)						
Rehabilitation Rx 45 minutes/week minimum + 3 days any combination of 3 rehabilitation disciplines; + Restorative nursing 6 days/week, 2 services (see Reduced Physical Function for restorative nursing services) OR Z0100C - Medicare Short Stay indicator = 1. Yes and average = 15 - 29 mins.	11-16 0-10	Not Used Not Used	RLB RLA	37 8	\$ 352.74 \$ 231.51	\$ 804.25 \$ 527.84
EXTENSIVE SERVICES						
G0110 A, B, H, I - ADL score of 2 or more AND (any of the following inc. vent and trach combined) O0100 E - Tracheostomy care while a resident; O0100 F - ventilator/respirator while a resident; O0100 M - isolation for active infectious disease while a resident	2-16 2-16 2-16	Tracheostomy care and ventilator/respirator Tracheostomy care or ventilator/respirator Isolation for active infectious disease	ES3 ES2 ES1	63 56 51	\$ 649.90 \$ 510.25 \$ 456.54	\$ 1,481.77 \$ 1,163.37 \$ 1,040.91
SPECIAL CARE HIGH						
G0110 A, B, H, I - ADL score of 2 or more AND (any of the following 8 criteria) 1. B0100 - Comatose and G0110 A, B, H, I - ADL score =4 or 8; 2. I2100 - septicemia; 3. I2900 - diabetes with N0350 A - daily injections and N0350 B - physician insulin order changes on 2 or more days; 4. I5100 - quadriplegia with G0110 A, B, H, I - ADL score >=5; 5. I6200 - chronic obstructive pulmonary disease and J1100 C - shortness of breath when lying flat; 6. J1550 A - fever with I2000 - pneumonia or J1550 B - vomiting or K0300 1, 2 - weight loss or K0500B - feeding tube (see special Care Low for tube feeding requirements**); 7. K0500 A - parenteral/IV feedings; 8. O0400 D 1, 2 - respiratory therapy at least 15 minutes/day for entire 7 days.	15-16 15-16 11-14 11-14 6-10 6-10 2-5 2-5	Signs of Depression No Signs Signs of Depression No Signs Signs of Depression No Signs Signs of Depression No Signs	HE2 HE1 HD2 HD1 HC2 HC1 HB2 HB1	50 39 46 35 44 28 43 27	\$ 441.19 \$ 367.53 \$ 413.57 \$ 346.05 \$ 390.55 \$ 327.63 \$ 385.95 \$ 324.56	\$ 1,005.91 \$ 837.97 \$ 942.94 \$ 788.99 \$ 890.45 \$ 747.00 \$ 879.97 \$ 740.00
* See End splits Signs of Depression						

MDS 3.0 RUG IV / 66 Category Table

Rural	ADLs	End Splits	RUG	CMI	Rate	(042)AIDS
<u>SPECIAL CARE LOW</u>						
G0110 A, B, H, I - ADL score of 2 or more AND (any of the following 7 criteria) 1. I4400 - Cerebral palsy or I5200 - multiple sclerosis, or I5300 - Parkinson's disease with G0110 A, B, H, I - ADL score >=5; 2. K0500B - feeding tube **; 3. Ulcers: a.) 2 or more M0300 B 1 - stage II pressure ulcers or b.) 1 or more M0300 C 1 - stage III or M0300 D 1 - stage IV pressure ulcers or c.) 2 or more M1030 - venous / arterial ulcers or d.) 1 M0300 B 1 - stage II pressure ulcer and 1 M1030 -venous / arterial ulcer a-d must have 2 or more M1200 - skin care treatments***; 4. M1040 A - foot infection or M1040 B - diabetic foot ulcer or M1040 C - open lesions of foot with M1200I - Application of dressing to feet; 5. O0100 C 2 - oxygen therapy while a resident and I6300 - respiratory failure; 6. O0100 B 2 - radiation therapy while a resident; 7. O0100 J 2 - dialysis while a resident.						
*See End splits Signs of Depression	15-16	Signs of Depression	LE2	45	\$ 401.29	\$ 914.94
**Tube feeding classification requirements: (1) K0700A is 51% or more of total calories OR (2) K0700A is 26% to 50% of total calories and K0700B is 501 cc or more per day fluid enteral intake in the last 7 days.	15-16	No Signs	LE1	31	\$ 336.84	\$ 768.00
*** M1200 - Selected skin treatments: M1200A,B# Pressure relieving chair and/or bed M1200C Turning/repositioning M1200D Nutrition or hydration intervention M1200E Ulcer care M1200G Application of dressings (not to feet) M1200H Application of ointments (not to feet) #Count as one treatment even if both provided	11-14	Signs of Depression	LD2	42	\$ 385.95	\$ 879.97
	11-14	No Signs	LD1	26	\$ 324.56	\$ 740.00
	6-10	Signs of Depression	LC2	33	\$ 339.91	\$ 774.99
	6-10	No Signs	LC1	18	\$ 287.73	\$ 656.02
	2-5	Signs of Depression	LB2	25	\$ 323.03	\$ 736.51
	2-5	No Signs	LB1	15	\$ 275.45	\$ 628.03
<u>CLINICALLY COMPLEX</u>						
Extensive Services, Special Care High or Special Care Low qualifier + G0110 A, B, H, I - ADL score of 0 or 1 OR 1. I4900 - hemiplegia or hemiparesis with G0110 A, B, H, I - ADL score >=5; 2. M1040 E - surgical wounds or M1040 D - open lesions with any M1200 - skin treatments**; 3. M1040 F - burns; 4. I2000 - Pneumonia; 5. O0100 C - Oxygen therapy while a resident; 6. O0100 A 2 - chemotherapy while a resident; 7. O0100 H 2 - IV medications while a resident; 8. O0100 I 2 - transfusions while a resident.	15-16	Signs of Depression	CE2	38	\$ 358.32	\$ 816.97
	15-16	No Signs	CE1	30	\$ 330.70	\$ 754.00
	11-14	Signs of Depression	CD2	32	\$ 339.91	\$ 774.99
	11-14	No Signs	CD1	23	\$ 312.28	\$ 712.00
	6-10	Signs of Depression	CC2	21	\$ 298.47	\$ 680.51
	6-10	No Signs	CC1	17	\$ 276.99	\$ 631.54
	2-5	Signs of Depression	CB2	16	\$ 276.99	\$ 631.54
	2-5	No Signs	CB1	13	\$ 257.04	\$ 586.05
* See End splits Signs of Depression	0-1	Signs of Depression	CA2	9	\$ 235.55	\$ 537.05
**Selected Skin Treatments M1200F Surgical wound care or M1200G Application of dressing (not to feet) or M1200H Application of ointments (not to feet)	0-1	No Signs	CA1	6	\$ 220.21	\$ 502.08

MDS 3.0 RUG IV / 66 Category Table

Rural	ADLs	End Splits	RUG	CMI	Rate	(042)AIDS
<u>BEHAVIORAL SYMPTOMS and COGNITIVE PERFORMANCE</u>						
G0110 A, B, H, I - ADL score <=5 AND 1. Cognitive impairment a.) BIMS score <=9 (C0200 through C0500) or if unable to complete the BIMS, any of the following; b.) B0100 Coma (B0100 = 1) and completely ADL dependent or ADL did not occur (G0110A1, G0110B1, G0110H1, G0100I1 all = 4 or 8) c.) C1000 Severely impaired cognitive skills (C1000 = 3) d.) B0700, C0700, C1000 Two or more of the following impairment indicators are present: B0700 > 0 Problem being understood C0700 = 1 Short-term memory problem C1000 > 0 Cognitive skills problem and One or more of the following severe impairment indicators are present: B0700 >= 2 Severe problem being understood C1000 >= 2 Severe cognitive skills problem OR 2. E0100A - Hallucinations or E0100B - Delusions OR 3. One or more of the following behaviors on 4 or more days; E0200A - Physical abusive behavioral symptom, E0200B - Verbal abusive behavioral symptoms, E0200C - Other behavioral symptoms not directed toward others E0800 - Rejection of care, E0900 - Wandering. * See Reduced Physical Function for restorative nursing services	2-5	2 or more restorative nursing on 6+ days/wk	BB2	11	\$ 249.37	\$ 568.56
C0700 = 1 Short-term memory problem C1000 > 0 Cognitive skills problem and One or more of the following severe impairment indicators are present: B0700 >= 2 Severe problem being understood C1000 >= 2 Severe cognitive skills problem OR 2. E0100A - Hallucinations or E0100B - Delusions OR 3. One or more of the following behaviors on 4 or more days; E0200A - Physical abusive behavioral symptom, E0200B - Verbal abusive behavioral symptoms, E0200C - Other behavioral symptoms not directed toward others E0800 - Rejection of care, E0900 - Wandering. * See Reduced Physical Function for restorative nursing services	2-5	None or Fewer restorative nursing than required	BB1	10	\$ 238.62	\$ 544.05
B0700 >= 2 Severe problem being understood C1000 >= 2 Severe cognitive skills problem OR 2. E0100A - Hallucinations or E0100B - Delusions OR 3. One or more of the following behaviors on 4 or more days; E0200A - Physical abusive behavioral symptom, E0200B - Verbal abusive behavioral symptoms, E0200C - Other behavioral symptoms not directed toward others E0800 - Rejection of care, E0900 - Wandering. * See Reduced Physical Function for restorative nursing services	0-1	2 or more restorative nursing on 6+ days/wk	BA2	4	\$ 207.93	\$ 474.08
B0700 >= 2 Severe problem being understood C1000 >= 2 Severe cognitive skills problem OR 2. E0100A - Hallucinations or E0100B - Delusions OR 3. One or more of the following behaviors on 4 or more days; E0200A - Physical abusive behavioral symptom, E0200B - Verbal abusive behavioral symptoms, E0200C - Other behavioral symptoms not directed toward others E0800 - Rejection of care, E0900 - Wandering. * See Reduced Physical Function for restorative nursing services	0-1	None or Fewer restorative nursing than required	BA1	3	\$ 198.72	\$ 453.08
<u>REDUCED PHYSICAL FUNCTION</u>						
This category includes residents whose needs are primarily for ADLs and general supervision. Restorative nursing services: • *H0200 C / H0500 - Scheduled toileting plan • *O0500 A, B - passive and/or active ROM • O0500 C - splint or brace assistance • *O0500 D, F - bed mobility and/or walking training • O0500 E - transfer training • O0500 G - dressing or grooming training • O0500 H - eating or swallowing training • O0500 I - amputation/prosthesis care • O0500 J - communication training * These count as only one even if both are provided. NOTES: No clinical variables used	15-16	2 or more restorative nursing on 6+ days/wk	PE2	29	\$ 330.70	\$ 754.00
Restorative nursing services: • *H0200 C / H0500 - Scheduled toileting plan • *O0500 A, B - passive and/or active ROM • O0500 C - splint or brace assistance • *O0500 D, F - bed mobility and/or walking training • O0500 E - transfer training • O0500 G - dressing or grooming training • O0500 H - eating or swallowing training • O0500 I - amputation/prosthesis care • O0500 J - communication training * These count as only one even if both are provided. NOTES: No clinical variables used	15-16	None or Fewer restorative nursing than required	PE1	24	\$ 315.35	\$ 719.00
Restorative nursing services: • *H0200 C / H0500 - Scheduled toileting plan • *O0500 A, B - passive and/or active ROM • O0500 C - splint or brace assistance • *O0500 D, F - bed mobility and/or walking training • O0500 E - transfer training • O0500 G - dressing or grooming training • O0500 H - eating or swallowing training • O0500 I - amputation/prosthesis care • O0500 J - communication training * These count as only one even if both are provided. NOTES: No clinical variables used	11-14	2 or more restorative nursing on 6+ days/wk	PD2	22	\$ 312.28	\$ 712.00
Restorative nursing services: • *H0200 C / H0500 - Scheduled toileting plan • *O0500 A, B - passive and/or active ROM • O0500 C - splint or brace assistance • *O0500 D, F - bed mobility and/or walking training • O0500 E - transfer training • O0500 G - dressing or grooming training • O0500 H - eating or swallowing training • O0500 I - amputation/prosthesis care • O0500 J - communication training * These count as only one even if both are provided. NOTES: No clinical variables used	11-14	None or Fewer restorative nursing than required	PD1	20	\$ 296.94	\$ 677.02
Restorative nursing services: • *H0200 C / H0500 - Scheduled toileting plan • *O0500 A, B - passive and/or active ROM • O0500 C - splint or brace assistance • *O0500 D, F - bed mobility and/or walking training • O0500 E - transfer training • O0500 G - dressing or grooming training • O0500 H - eating or swallowing training • O0500 I - amputation/prosthesis care • O0500 J - communication training * These count as only one even if both are provided. NOTES: No clinical variables used	6-10	2 or more restorative nursing on 6+ days/wk	PC2	14	\$ 269.32	\$ 614.05
Restorative nursing services: • *H0200 C / H0500 - Scheduled toileting plan • *O0500 A, B - passive and/or active ROM • O0500 C - splint or brace assistance • *O0500 D, F - bed mobility and/or walking training • O0500 E - transfer training • O0500 G - dressing or grooming training • O0500 H - eating or swallowing training • O0500 I - amputation/prosthesis care • O0500 J - communication training * These count as only one even if both are provided. NOTES: No clinical variables used	6-10	None or Fewer restorative nursing than required	PC1	12	\$ 257.04	\$ 586.05
Restorative nursing services: • *H0200 C / H0500 - Scheduled toileting plan • *O0500 A, B - passive and/or active ROM • O0500 C - splint or brace assistance • *O0500 D, F - bed mobility and/or walking training • O0500 E - transfer training • O0500 G - dressing or grooming training • O0500 H - eating or swallowing training • O0500 I - amputation/prosthesis care • O0500 J - communication training * These count as only one even if both are provided. NOTES: No clinical variables used	2-5	2 or more restorative nursing on 6+ days/wk	PB2	7	\$ 229.42	\$ 523.08
Restorative nursing services: • *H0200 C / H0500 - Scheduled toileting plan • *O0500 A, B - passive and/or active ROM • O0500 C - splint or brace assistance • *O0500 D, F - bed mobility and/or walking training • O0500 E - transfer training • O0500 G - dressing or grooming training • O0500 H - eating or swallowing training • O0500 I - amputation/prosthesis care • O0500 J - communication training * These count as only one even if both are provided. NOTES: No clinical variables used	2-5	None or Fewer restorative nursing than required	PB1	5	\$ 220.21	\$ 502.08
Restorative nursing services: • *H0200 C / H0500 - Scheduled toileting plan • *O0500 A, B - passive and/or active ROM • O0500 C - splint or brace assistance • *O0500 D, F - bed mobility and/or walking training • O0500 E - transfer training • O0500 G - dressing or grooming training • O0500 H - eating or swallowing training • O0500 I - amputation/prosthesis care • O0500 J - communication training * These count as only one even if both are provided. NOTES: No clinical variables used	0-1	2 or more restorative nursing on 6+ days/wk	PA2	2	\$ 191.05	\$ 435.59
Restorative nursing services: • *H0200 C / H0500 - Scheduled toileting plan • *O0500 A, B - passive and/or active ROM • O0500 C - splint or brace assistance • *O0500 D, F - bed mobility and/or walking training • O0500 E - transfer training • O0500 G - dressing or grooming training • O0500 H - eating or swallowing training • O0500 I - amputation/prosthesis care • O0500 J - communication training * These count as only one even if both are provided. NOTES: No clinical variables used	0-1	None or Fewer restorative nursing than required	PA1	1	\$ 183.38	\$ 418.11
<u>DEFAULT</u>			AAA	1	\$ 183.38	\$ 418.11

MDS 3.0 RUG IV / 66 Category Table

End Split: ADL INDEX

G0110 - Activity of Daily Living (ADL) Assistance:

Use the following ADL scoring Table to calculate the ADL Index:

ADL Scoring Table For Items: G0110(A): Bed Mobility, G0110(B) Transfers and G0110 (I) Toilet Use			
G0110(2) ADL Support Provided			
G0110(1) ADL Self- Performance	(-): Not Avail. 0: No Help 1: Setup Help Only	2: One Person Physical Assist	3: Two + Person Physical Assist
(-): Not Avail. 0: Independent 1: Supervision 7: < 3x's/wk.	0 (Also the score if either G0110(1) or G0110(2) is 8: Activity did not occur)		
2: Limited Assistance	1		
3: Extensive assistance	2	4	
4: Total Dependance	3		

ADL Scoring Table For Items: G0110(H): Eating			
G0110(2) ADL Support Provided			
G0110(1) ADL Self- Performance	(-): Not Avail. 0: No Help 1: Setup Help Only	2: One Person Physical Assist	3: Two + Person Physical Assist
(-): Not Avail. 0: Independent 1: Supervision 7: < 3x's/wk.	0 (Also the score if either G0110(1) or G0110(2) is 8: Activity did not occur)	2	
2: Limited Assistance			
3: Extensive assistance	3		
4: Total Dependance	2	4	

G0110A: Bed Mobility 1. Self Support: ___ 2. ADL Support Provided: ___ = ___

G0110B: Transfer 1. Self Support: ___ 2. ADL Support Provided: ___ = ___

G0110I: Toilet Use 1. Self Support: ___ 2. ADL Support Provided: ___ = ___

G0110H: Eating 1. Self Support: ___ 2. ADL Support Provided: ___ = ___

Total ADL Score: _____

End Split: SIGNS OF DEPRESSION

D0200: Resident Mood Interview (PHQ-9©)

- D0200A - Little interest or pleasure in doing things
- D0200B - Feeling down depressed or hopeless
- D0200C - Trouble Falling or staying asleep, or sleeping too much
- D0200D - Feeling tired or having little energy
- D0200E - Poor appetite or overeating
- D0200F - Feeling bad about yourself - or let self others down
- D0200G - Trouble concentrating on things
- D0200H - Moving or speaking slowly or being fidgety or restless
- D0200I - Thoughts that you would be better off dead, or of hurting self
- D0300 - Total Severity Score: 0 - 27 (In order to qualify as depressed, to affect the RUG score, this score must be >=10)

D0500: Staff Interview of Resident Mood (PHQ-9-OV)

- D0500A - Little interest or pleasure in doing things
- D0500B - Feeling or appearing down, depressed, or hopeless
- D0500C - Trouble falling or staying asleep, or sleeping too much.
- D0500D - Feeling tired or having little energy.
- D0500E - Poor appetite or overeating.
- D0500F - Indicating feels bad about self, has let self or other down.
- D0500G - Trouble concentrating on things
- D0500H - Moving or speaking slowly or being fidgety or restless
- D0500I - States that life isn't worth living, wishes for death, or attempts to harm self.
- D0500J - Being short-tempered, easily annoyed.
- D0600 - Total Severity Score: 0 - 30 (In order to qualify as depressed, to affect the RUG score, this score must be >=10)

FY 2011 SNF PPS Rates Oct. 1, 2010

<u>Urban Rates</u>		0.0000	(042) AIDS ADD-ON
RUX	66		
RUL	65		
ES3	64		
RVX	63		
RHX	62		
RVL	61		
RUC	60		
RUB	59		
RMX	58		
RHL	57		
ES2	56		
RML	55		
RVC	54		
RLX	53		
ES1	52		
RUA	51		
HE2	50		
HD2	49		
RHC	48		
RVB	47		
RVA	46		
LE2	45		
HC2	44		
HB2	43		
LD2	42		
HE1	41		
RHB	40		
CE2	39		
RMC	38		
RLB	37		
HD1	36		
LC2	35		
CD2	34		
LE1	33		
RMB	32		
CE1	31		
PE2	30		
HC1	29		
HB1	28		
LD1	27		
RHA	26		
LB2	25		
PE1	24		
CD1	23		
PD2	22		
CC2	21		
PD1	20		
LC1	19		
RMA	18		
CC1	17		
CB2	16		
LB1	15		
PC2	14		
CB1	13		
PC1	12		
BB2	11		
BB1	10		
CA2	9		
PB2	8		
RLA	7		
CA1	6		
PB1	5		
BA2	4		
BA1	3		
PA2	2		
PA1	1		

<u>Rural</u>		1.0000	(042) AIDS ADD-ON
RUX	66	\$ 754.11	\$ 1,719.37
RUL	65	\$ 738.76	\$ 1,684.37
RVX	64	\$ 662.59	\$ 1,510.71
ES3	63	\$ 649.90	\$ 1,481.77
RVL	62	\$ 598.14	\$ 1,363.76
RHX	61	\$ 593.39	\$ 1,352.93
RUC	60	\$ 583.77	\$ 1,331.00
RUB	59	\$ 583.77	\$ 1,331.00
RMX	58	\$ 539.27	\$ 1,229.54
RHL	57	\$ 532.01	\$ 1,212.98
ES2	56	\$ 510.25	\$ 1,163.37
RML	55	\$ 496.30	\$ 1,131.56
RUA	54	\$ 496.30	\$ 1,131.56
RVC	53	\$ 493.78	\$ 1,125.82
RLX	52	\$ 469.37	\$ 1,070.16
ES1	51	\$ 456.54	\$ 1,040.91
HE2	50	\$ 441.19	\$ 1,005.91
RVB	49	\$ 432.40	\$ 985.87
RVA	48	\$ 430.87	\$ 982.38
RHC	47	\$ 424.59	\$ 968.07
HD2	46	\$ 413.57	\$ 942.94
LE2	45	\$ 401.29	\$ 914.94
HC2	44	\$ 390.55	\$ 890.45
HB2	43	\$ 385.95	\$ 879.97
LD2	42	\$ 385.95	\$ 879.97
RHB	41	\$ 384.69	\$ 877.09
RMC	40	\$ 368.93	\$ 841.16
HE1	39	\$ 367.53	\$ 837.97
CE2	38	\$ 358.32	\$ 816.97
RLB	37	\$ 352.74	\$ 804.25
RMB	36	\$ 347.44	\$ 792.16
HD1	35	\$ 346.05	\$ 788.99
RHA	34	\$ 341.72	\$ 779.12
LC2	33	\$ 339.91	\$ 774.99
CD2	32	\$ 339.91	\$ 774.99
LE1	31	\$ 336.84	\$ 768.00
CE1	30	\$ 330.70	\$ 754.00
PE2	29	\$ 330.70	\$ 754.00
HC1	28	\$ 327.63	\$ 747.00
HB1	27	\$ 324.56	\$ 740.00
LD1	26	\$ 324.56	\$ 740.00
LB2	25	\$ 323.03	\$ 736.51
PE1	24	\$ 315.35	\$ 719.00
CD1	23	\$ 312.28	\$ 712.00
PD2	22	\$ 312.28	\$ 712.00
CC2	21	\$ 298.47	\$ 680.51
PD1	20	\$ 296.94	\$ 677.02
RMA	19	\$ 289.13	\$ 659.22
LC1	18	\$ 287.73	\$ 656.02
CC1	17	\$ 276.99	\$ 631.54
CB2	16	\$ 276.99	\$ 631.54
LB1	15	\$ 275.45	\$ 628.03
PC2	14	\$ 269.32	\$ 614.05
CB1	13	\$ 257.04	\$ 586.05
PC1	12	\$ 257.04	\$ 586.05
BB2	11	\$ 249.37	\$ 568.56
BB1	10	\$ 238.62	\$ 544.05
CA2	9	\$ 235.55	\$ 537.05
RLA	8	\$ 231.51	\$ 527.84
PB2	7	\$ 229.42	\$ 523.08
CA1	6	\$ 220.21	\$ 502.08
PB1	5	\$ 220.21	\$ 502.08
BA2	4	\$ 207.93	\$ 474.08
BA1	3	\$ 198.72	\$ 453.08
PA2	2	\$ 191.05	\$ 435.59
PA1	1	\$ 183.38	\$ 418.11